



INSTALLATION WITH VALVES AND OUTER FRAME - CONT'D



4. Final result:



5. Repeat points 4, 5, 6, 7, and 8 of the previous section (Installation with built-in valves)

GENERAL DESCRIPTION



CD2X6
 Wall mounted - 3 digits display
 On/Off - Heating/Cooling - 3 speeds
 Ambient temperature knob adjustment



RCE 10E
 Wall mounted
 On/Off - Heating/Cooling - 3 speeds
 Ambient temperature knob adjustment

	Wall mounted	
	CD2X6	RCE10E
Characteritics		
On/Off	◆	◆
Manual speed control	◆	◆
Automatic fan control	◆	◆
Manual Heating/Cooling control	◆	◆
Automatic Heating/Cooling control	◆	◆
Temperature setting knob	◆	◆
External centralised contact	◆	◆
Windows contact	◆	◆
Digital display	◆	
On/Off valve control	◆	◆
Modulating valve control	◆	◆
Available for		
2 pipes	◆	◆
2 pipes + electrical heater	◆	◆
4 pipes	◆	◆



lennoxemeia.com

SALES OFFICES :

BELGIUM AND LUXEMBOURG

+32 3 633 3045

FRANCE

+33 1 64 76 23 23

GERMANY

+49 (0) 40 589 6235 0

ITALY

+39 02 495 26 200

NETHERLANDS

+31 332 471 800

POLAND

+48 22 58 48 610

PORTUGAL

+351 229 066 050

RUSSIA

+7 495 626 56 53

SPAIN

+34 902 533 920

UKRAINE

+38 044 585 59 10

UNITED KINGDOM AND IRELAND

+44 1604 669 100

OTHER COUNTRIES :

LENNOX DISTRIBUTION

+33 4 72 23 20 00



Due to Lennox's ongoing commitment to quality, the specifications, ratings and dimensions are subject to change without notice and without incurring liability. Improper installation, adjustment, alteration, service or maintenance can cause property damage or personal injury. Installation and service must be performed by a qualified installer and servicing agency